

RECEIVED
CENTRAL FAX CENTER
NOV 15 2004

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of: Brown et al.
Application No.: 09/197,278
Filed: November 20, 1998
For: Improved Longitudinally Flexible Expandable Stent
Examiner: Vy Q. Bui
Group Art Unit: 3731

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Docket No.: S63.2-6769-US01

FACSIMILE TRANSMITTAL LETTER

TO: Examiner Bui

DATE: November 15, 2004

FACSIMILE NO.: 703-872-9306

TIME: 1:50 pm

GROUP ART UNIT: 3731

TOTAL NUMBER OF PAGES (including cover letter): 17


Following please find a 1 page Letter, 13 page copy of the Amendment dated November 1, 2004; 1 page facsimile transmittal letter dated November 1, 2004 and a 1 page TX Report dated November 1, 2004 indicating the transmission was OK in addition to this 1 page Facsimile Transmittal Letter.

If a fee is required, Commissioner of Patents is hereby authorized to charge Deposit Account No. 22-0350 for any required fees. To the extent that any petition is required to consider this communication, please treat this as such a petition.

Respectfully Submitted,

VIDAS, ARRETT & STEINKRAUS, P.A.


Date: November 15, 2004

By: 
Jonathan Grad
Reg. No. 41,795

6109 Blue Circle Drive, Suite 2000
Minnetonka, MN 55343-9185
Telephone: (952) 563-3000
Facsimile: (952) 563-3001

Certificate of Transmission

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office, Fax No. 703-872-9306, on November 15, 2004.

Signature: 

Rebecca M. Painschab

BEST AVAILABLE COPY

RECEIVED
CENTRAL FAX CENTER
NOV 15 2004

PATENT**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of:	Brian J. Brown, Michael Davis, David Friesen, Timothy J. Ley and Sean P. Skubitz
Application No.:	09/197278
Filed:	November 20, 1998
For:	Improved Longitudinally Flexible Expandable Stent
Examiner:	Vy Q. Bui
Group Art Unit:	3731

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Docket No.: S63.2B-6769-US01**LETTER**

Accompanying this communication is a copy of a 13 page Amendment; 1 page facsimile transmittal letter dated November 1, 2004 and a 1 page TX Report dated November 1, 2004 indicating the transmission was OK. The accompanying Amendment was originally filed November 1, 2004. Our fax machine indicated that the transmission was received by the USPTO, however, we did not receive an Auto Reply Facsimile Transmission nor did we see the document on the USPTO's PAIR system.

Per my discussion with Examiner Bui, we are refaxing the original Amendment along with the documentation indicating that it was received and hereby request that the Amendment be accorded its November 1, 2004 filing date.

Respectfully submitted,

VIDAS, ARRETT & STEINKRAUS

Date: November 15, 2004

By: _____


Jonathan Grad

Registration No.: 41795

6109 Blue Circle Drive, Suite 2000
Minnetonka, MN 55343-9185
Telephone: (952) 563-3000
Facsimile: (952) 563-3001
F:\pwork\jg\06769us01_and_20041115.doc

*** TX REPORT ***

TRANSMISSION OK

TX/RX NO	3982
CONNECTION TEL	
SUBADDRESS	
CONNECTION ID	
ST. TIME	11/01 16:58
USAGE T	04'35
PGS. SENT	14
RESULT	OK

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:	Brown et al.
Application No.:	09/197,278
Filed:	November 20, 1998
For:	Improved Longitudinally Flexible Expandable Stent
Examiner:	Vy Q. Bui
Group Art Unit:	3731

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Docket No.: S63,2-6769-US01

FACSIMILE TRANSMITTAL LETTER

TO: Examiner Bui
FACSIMILE NO.: 703-872-9306
GROUP ART UNIT: 3731
TOTAL NUMBER OF PAGES (including cover letter): 14

DATE: November 1, 2004
TIME: 4:00pm

Following please find a 13 page Amendment in addition to this 1 page Facsimile Transmittal Letter.

If a fee is required, Commissioner of Patents is hereby authorized to charge Deposit Account No. 22-0350 for any required fees. To the extent that any petition is required to consider this communication, please treat this as such a petition.

Respectfully Submitted,

VIDAS, ARRETT & STEINKRAUS, P.A.

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:	Brown et al.
Application No.:	09/197,278
Filed:	November 20, 1998
For:	Improved Longitudinally Flexible Expandable Stent
Examiner:	Vy Q. Bui
Group Art Unit:	3731

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Docket No.: S63.2-6769-US01

FACSIMILE TRANSMITTAL LETTER

TO: Examiner Bui

DATE: November 1, 2004

FACSIMILE NO.: 703-872-9306

TIME: 4:00pm

GROUP ART UNIT: 3731

TOTAL NUMBER OF PAGES (including cover letter): 14

Following please find a 13 page Amendment in addition to this 1 page Facsimile Transmittal Letter.

If a fee is required, Commissioner of Patents is hereby authorized to charge Deposit Account No. 22-0350 for any required fees. To the extent that any petition is required to consider this communication, please treat this as such a petition.

Respectfully Submitted,

VIDAS, ARRETT & STEINKRAUS, P.A.

Date: November 1, 2004


By: 

Jonathan Grad
Reg. No. 41,795

6109 Blue Circle Drive, Suite 2000
Minnetonka, MN 55343-9185
Telephone: (952) 563-3000
Facsimile: (952) 563-3001

Certificate of Transmission

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office, Fax No. 703-872-9306, on November 1, 2004.

Signature: 

Rebecca M. Painschab

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.